## **Infant Sleep Consent Form**

The American Academy of Pediatrics (AAP) recommends keeping soft objects and loose bedding (including blankets) out of the crib/ playpen to reduce the risk of SIDS, suffocation, entrapment, and strangulation for infants under the age of 12 months. The AAP recommends the use of pacifiers for sleep. Studies have reported a protective effect of pacifiers on the incidence of SIDS. Pacifiers should be checked for tears/cracks before each use.

**ND Child Care Licensing Regulations state:** With written parental permission, the provider may place one individual infant blanket or sleep sack, a pacifier, and a security item that does not pose a risk of suffocation to the infant in the crib or portable crib while the infant is sleeping or preparing to sleep.

- \* Blanket and sleep sack cannot be used at same time.
- \* Providers are not required to allow these items.

Parent/Guardian Name (printed): \_

Parent/Guardian Signature:\_

Parent/Guardian Authorization I have read the information on this form and give	permission to use the
following checked item(s) when my infant	is sleeping or preparing to sleep:
<ul> <li>One infant blanket (a thin blanket is recommended)</li> <li>Weighted blankets are not recommended by the AAP.</li> <li>A written order from a health care provider stating a medical reason/diagnosis and to use more than one blanket or use a weighted blanket.</li> </ul>	time frame is required by licensing
<ul> <li>I request my infant to be swaddled: Yes No</li> <li>Swaddling is required by licensing and recommended by the AAP to be discontinue attempting to roll.</li> <li>If infant is being swaddled, the blanket should not come any higher than to the shown be loose enough for a hand to fit between the blanket and the infant's chest; blanket infant's hips.</li> <li>A written order stating a medical reason/diagnosis and time frame from a health can to continue swaddling after an infant shows signs of attempting to roll.</li> </ul>	ulders of hte infant; blanket should et should be kept loose around
<ul> <li>Sleep Sack</li> <li>Sleeveless sleep sacks are recommended to use. The sleep sack is recommended to cannot slip through the neck hole or cause excess material to cover or gather arour.</li> <li>Lightweight sleep sacks are recommended to prevent overheating.</li> <li>Weighted sleep sacks are not recommended by the AAP.</li> <li>Swaddle sleep sacks (with arm panels) can be used but are recommended to be dissigns of attempting to roll.</li> <li>A written order stating a medical reason/diagnosis &amp; time frame from a health care to use weighted sleep sack or to continue to use swaddle sleep sack after an infant</li> </ul>	nd the infant's face. scontinued once an infant shows provider is required by licensing
Pacifier - not recommended by the AAP to be attached to a clip/strap or to a stuffed ite	em/blanket.
Security item (specify item)*securit the AAP - A written order from a health care provider is required by licensing to use a v	ry items are not recommended by weighted security item.
*Necklaces (including teething necklaces), bibs, headbands, hooded clothing, hats are sleep.	recommended to be removed for

Sources: Caring for Our Children National Health and Safety Performance Standards: Guidelines for Out-of-Home Child Care, 4th Edition, 2019
ND Child Care Licensing Regulations Sleep Related Infant Deaths: Updated 2022 Recommendation for Reducing Infant Deaths in the Sleep Environment, AAP, Pediatrics, 2022
Revised July 2024

Date:

the infant's file as well as post near the infant's

crib/playpen (out of infant's reach) for

providers/staff to reference.